PALMDALE WATER DISTRICT

2013 CONSUMER CONFIDENCE REPORT



Our Mission: To provide high quality water to our current and future customers at a reasonable cost.

Questions or comments on the contents of this report are encouraged:

Call Peter K. Thompson Jr., Operations Manager, 661-947-4111 x1169 or Amanda Williams, Water Quality Supervisor, 661-947-4111 x1178 Monday through Friday, 7:00 a.m. to 4:30 p.m.

Attendance, participation, questions, and comments are encouraged:

- Attend Board of Directors' meetings the second and fourth Wednesday of each month. Board meetings start at 7:00 p.m. and are held at the District office, 2029 East Avenue Q, Palmdale.
- Call 661-947-4111 with questions about the District or to file a water quality complaint.
- Call 661-947-4111 x1001 for information on water conservation or water education.
- Visit our web site at www.palmdalewater.org.

Attencion Residentes!

Que no hablan Ingles: Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien, ó para recibir una version en Espanol sobre este informe, favor de llamar a la oficina de P.W.D. al telefono 661-947-4111.

The Palmdale Water District is proud to announce 100% regulatory compliance in 2013 and is confident its drinking water is of the highest quality. This Consumer Confidence Report is a snapshot of last year's (2013) water quality and will provide you with a better understanding of the quality of your drinking water.

This Report includes details about where your water comes from, what it contains, and how it compares to Drinking Water standards. We are committed to providing you with this information because informed customers are our best allies.

Stringent water quality testing is performed before the water is delivered to consumers. Last year, PWD tested more than 3,000 samples for over 80 regulated contaminants. Only 4 primary standard contaminants

were detected in 2013, but all were at levels below the Maximum Contaminant Level allowed by the State.

Please take the time to review this Consumer Confidence Report and Water Quality Data Chart to become an informed consumer. The Water Quality Data Chart is divided into two standards – *Primary* and *Secondary*.

Primary standards are set to protect public health from contaminants in water that may be immediately harmful to humans or affect their health if consumed for long periods of time.

Secondary standards govern aesthetic qualities of water such as taste, mineral content, odor, color, and turbidity.

Please call 661-947-4111 x1178 or x1169 with any questions.

PWD Sources of Water Supply

PWD obtains its water from one of three sources or a combination of these sources. The first source is **surface water** from the State Water Project (California Aqueduct). This water source begins in Northern California, flows into the Delta near Sacramento, and is pumped traveling South to Palmdale Lake. The District is entitled to take a maximum of 21,300 acre feet (or 6.9 billion gallons of water) per year from this source. Based on the amount of rain and snowfall that falls in the Sierra Nevada Mountains and the amount of water stored in northern California reservoirs, the District is granted a percentage of the annual entitlement. In 2013, the District received an annual entitlement of 50%, or 10,599 acre feet. The water is drawn from the aqueduct and stored in Palmdale Lake prior to treatment.

The second source of **surface water** is from the reservoir created by Littlerock Dam. Littlerock Dam was originally built in 1922, and was recently renovated to increase the storage capacity of the reservoir to 3,500 acre feet, or 1.1 billion gallons,

of water. In 2013, the District drew 1600 acre feet from this source. Littlerock Dam Reservoir is fed by natural run-off from snow packs in the local San Gabriel Mountains and from rainfall. The water is then transferred from Littlerock Reservoir to Palmdale Lake through a ditch connecting the two reservoirs for storage prior to treatment.

The third source of water for the District's customers is *ground water.* Ground water is pumped from the Antelope Valley ground water basin through 23 wells, and in 2013, the District pumped 9,378 acre feet from 22 of these wells. This water is treated with chlorine and pumped directly into the distribution system.

All three sources are constantly tested and treated in compliance with all applicable regulations to ensure high water quality and dependability of the water system. The Palmdale Water District delivered approximately 57% surface water and 43% ground water to its consumers in 2013.

COUNTS

Definitions

The following definitions of key terms are provided to help you understand the data used in this report.

- ◆ Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- ♠ Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).
- ◆ Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by OEHHA (Office of Environmental Health Hazard Assessment) a division of the California Environmental Protection Agency (CEPA).
- ♠ Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- ◆ Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Running Annual Average (RAA): The running annual arithmetic average, computed quarterly, of quarterly arithmetic averages of all samples collected.

- ◆ Detection Limit for purposes of reporting (DLR): The designated minimum level at or above which any analytical finding of a contaminant in drinking water shall be reported to the Department of Public Health.
- ◆ Unregulated Contaminant Monitoring (UCMR): Unregulated contaminant monitoring helps USEPA and the California Department of Public Health to determine where certain contaminants occur and whether the contaminants need to be regulated.
- ◆ Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.
- ♠ Regulatory Action Level (AL) or Notification Level (NL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
- ◆ Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- ◆ Secondary Drinking Water Standard (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SWDSs do not affect the health at the MCL level.
- **♦ Counting Error:** The 95% confidence level for the radioactivity analysis.

Abbreviations used in 2013 Water Quality Data Chart:

- ND: Not detectable or None detected at testing limit (DLR)
- ♦ NA: Not Applicable
- **♦ Nreg**: No regulation
- ♦ > Greater Than
- *pCi/L*: picocuries per liter (a measure of radiation)
- **◆ DBP:** Disinfection Byproducts

Comparison examples are provided for the following measurements to help you better understand the amount of chemical contaminants detected in the water. This does not mean that the amounts are not significant regarding risk of health effects for specific contaminants.

- ppm: parts per million or milligrams per liter (mg/L) = qualitatively, approx. 1 drop in 10 gals.
- **ppb:** parts per billion or micrograms per liter (ug/L) = qualitatively, approx. 1 drop in 10,000 gals.
- ppt: parts per trillion or nanograms per liter (ng/L) = qualitatively, approx. 1 drop in 100,000 gals.

Drinking Water Source Assessment and Protection Program:

The Palmdale Water District's Sanitary Survey, including a Source Water Assessment of surface waters, was updated in 2012 in compliance with State of California regulations. The assessment of surface water sources included Littlerock Reservoir and Palmdale Lake. A Groundwater Assessment and Protection Program was completed in January of 1999, and a Wellhead Protection Plan was completed in November 2000.

The District's drinking water sources are considered most vulnerable to the following activities associated with contaminants detected in the water supply: illegal activities, such as unauthorized dumping; recreation; highways; railroads; and sewer collection systems. A comprehensive source water protection program can prevent contaminants from entering the public water supply, reduce

treatment costs, and increase public confidence in the quality, reliability and safety of drinking water.

You can help prevent water contamination and pollution by properly disposing of trash and waste materials. Remember, many common household products can contaminate surface and ground water supplies. Anything you throw in the trash, dump on the ground, pour down the drain, or wash down the driveway can eventually reach water sources and cause contamination.

The Sanitary Survey, Source Water Assessment, Groundwater Assessment, and Wellhead Protection Plan are available for review on the Districts website (palmdalewater.org) or at the District's office by calling Peter K. Thompson Jr. at 661-947-4111 x1169.

2013 Water Quality Data Chart

required to be included in the chart. The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. As a result, some of the data, though representative of the water quality, is more than one year old. Unless otherwise noted, the data presented in this chart is from testing performed January 1 to The Water Quality Data chart lists all drinking water contaminants detected during the 2013 calendar year. The presence of these contaminants in the water does not necessarily indicate the water poses a health risk. PWD tests for many contaminants in addition to those listed in the chart. Test results for these additional contaminants were all "None Detected (ND)" and are not December 31, 2013.

									201	
Parameter	MCL or MKDL (Units)	Meets Standard?	DLK	Sample Frequency*	Treated Surface Water	race Water	*Ground Water	1 Water in 2013	(MCLG)	Typical Source of
	(2002)	YES/NO		Surface Water/ Ground Water		1/10/13	naidina		PHG	
Primary Standards					Range	or Average Effluent	Range	Average	(MRDLG)	
Turbidity (Mater Clarity) Turbidity is a measure of the cloudiness of the water. We measure it because it is a good indicator of the effectiveness of our filteration system. Treated Suriaco Water Range and Average are of Bally Maximum.	TT = 1NTU $ T = 95\% \text{ of monthly samples } \pm 0.3 \text{ NTU} $	YES	NA	Continuous/Once in 3 yrs.	0.04 - 0.22	0.07	<0.2-2.6	0.25	NA	Soil Runoiff
Dist. System Microbiological										
Total Coliform Bacteria (Total Coliform Rule) Coliform Coliform Rule)	For systems that collect less than 40 samples per month. Womer that 10 positive sample per month: More than 10 the off month working samples are positive are positive.	YES	N N	Weekly	N/A	%0 ×0	N N	₹	(6)	Naturally present in the environment
E. coli (Federal Ground Water Hule) Organic Chemicals	0	YES	¥	Weekly	ΝΑ	%0	NA	0	(0)	Human and ammal Tecal waste
Disinfection By-products					Stage 2 D/DBP	1/08P				
TTHMs HARS District or the transfer of the transfer or the tra	80µg/L 1/gµ(09	YES	N N	Monthly/NA Quarterly/NA	All Sample Range Highest RA 3 - 82 50 ND - 27 9.9	Highest RAA 50 9.9	N N	N N	N N	By-product of drinking water dishibection By-product of drinking water dishibection
Usimedian Residual Chlorine Residual Disinfectant By-product Precursors	4.0 (mg/L as Cl₂)	YES	M	Weekly/NA	5ystem RAA IIO 0.20- 3.90	m DSt. 3yst. 0.9	N	NA	4	Drinking water disinfectant added for treatment
Control of DBP Precursor (Total Organic Carbon, (TOC), - see explanation on the next page	TT= ratio of actual TOC removal to required TOC removal shall be ≥ 1	YES	0.3	Monthly/NA	0.3 - 1.2	0.9	NA	NA	NA	Various natural and manmade sources
Inorganic Chemicals Arsenic	10µa/l.	YES	2	Yearly/Once in 3vrs.	W	QN.	ND - 2	GN	0.004	Frosion of natural denosits: mnoff from orchards: class and electronics moduction wastes
Barium	1000µg/L	YES	100	Yearly/Once in 3yrs.	NA of o	ND NO	ND - 120	ND 0.18	2000	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
nitoriue Nitoriue Orionium	45mg/L 50µg/L	YES	10	Quarterly/Quarterly Yearly/Once in 3yrs.	ND - 3.4	2.6 ND	ND - 28.2 ND - 10	8.4 ND	45 (100)	nosmin i nama aqsassa, wara admine na primines amun gerin. Manange num isance am adminium asunes. Punnoff and leaching from fertilizer use, leaching from septic tenks and sewage, erosion of natural deposits. Seel and pulp mill discharges, chrome pidirin, natural erosion.
Radioactivity										
Gross Alpha Activity** Uran ium***	15 pC/L 20 pC/L	YES	e –	**See comment below NA/Quarterly	ND NA	ON ON	ND - 6.1 1.9 - 9.5	ND 5.6	(0) 0.43	Erosion of natural deposits Erosion of natural deposits
Tap Monitoring Lead & Copper Lead	Action Level 15µg/L	YES	5	No. of samples in 2012 50	90th Percentile ND	No. sites exceeded AL 1	ceeded AL	NA	0.2	ter plumbing systems; discharges from industrial man
Consultant Chandards	1.3mg/L	YES	0.05	50	0.370	Ž	one	MA	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
secondary Standards Inorganic Chemicals										
Aluminum Color	200µg/L 15 units	YES	50 NA	Monthly/Once in 3yrs. Weekly/Once in 3yrs.	ND - 64 NA	9 °	NA ND - 3	₽ \$	600 NA	Erosion of natural deposits; residual from some surface water treatment processes Naturally occurring organic materials
Odor-Threshold Chloride	3 units 500 ma/L	YES	- ≸	Weekly/Once in 3yrs. Quarterly/Quarterly	ND - 2 104 - 117	110	ND - 2 5.5 - 87.9	ND 23.0	₹ ₹	Naturally occurring organic materials Runoff/Reaching from natural deposits; seawater influence
Copper	1.0mg/L 300ug/L	YES		Yearly/Once in 3yrs. Monthly/Once in 3yrs.	A S	99	NA ND - 220	22	0.3 NA	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Leaching from natural deposits; industrial wastes
Manganese Sulfate	50µg/L 500mg/l	YES SE		Monthly/Once in 3yrs.	ND 36.6 - 50.3	ND 43.8	NA 18.3 - 95.7	ND 37.3	N N	Leaching from natural deposits Brindfilpaching of natural denosits: indistrial wastes
	5000µg/L 1000mg/L	YES	NA 50	Monthly/Once in 3yrs. Yearly/Once in 3yrs.	ND - 50 NA	310 310	NA 150 - 490	ND 251	A A	Runoff/leaching of natural deposits, industrial wastes, corrosion control Runoff/leaching of natural deposits
Specific Conductance	1600 µmhos/cm	YES	1	Yearly/Once in 3yrs.	M	290	240 - 810	414	Ā	Substances that form ions when in water; seawater influence
Additional Constituents Analyzed										
pH Hardness	NA (Units) NA(mg/L)	A A S		Continuous/Once in 3yrs. Weekly/Once in 3yrs.	6.9 - 8.4	7.2 123	7.8 - 8.3	8.0	\$ \$:	Leaching from natural deposits Sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally-occurring,
Akalinity Sodium	NA(mg/L) NA(mg/L)	A A	≨≨	Weekly/Once in 3yrs. Yearly/Once in 3yrs.	60 - 92 NA	7.5	79 - 220 17 - 69	38	₹ ₹	Dissolved as water passes through limestone deposits Generally naturally-occurring salt present in water
Calcium Potassium Magnesium	NA(mg/L) NA(mg/L) NA(mg/L)	A A A	888	Yearly/Once in 3yrs. Yearly/Once in 3yrs. Yearly/Once in 3yrs.	33 3	5 × 4	9 - 78 ND - 2.7 1 - 24	38 7.1	≨≸≸	Dissorberd awdern passes through limestione deposits Leaching from natural deposits Dissorbed as water passes through magnestum-bearing minerals
Special Testing										
Radium 228	5pCi/L	NA	-	4 Quarters by 12/31/2007	W	QN	M	QN	0.019	Erosion of natural deposits
UCMR						Average				
Chromium VI	No Standard (µg/L)	NA	-	Yearly/Yearly	MA	NA	ND - 11	4.0	M	Steel and pulp mill discharges, chrome plating, natural erosion

^{*} Wells are sampled once/3yre except for Fluoride, Childrie, Sulfate, & Wirtze which are sampled quarterly.

* Sampled between 2010 and 2013. Individual sits are assimpled once/6yrs or once9yrs. Range is from individual sample results.

*** Sample onleteded only when quarterly average of Gross Afria excess 50,0/L.

Unregulated contaminant monitoring helps USEPA and the California Department of Public Health to determine where certain contaminants occur and whether the contaminants need to be regulated.

Total Trihalomethanes (TTHMS):

Total Trihalomethanes (TTHMs) are the total of four trihalomethanes of concern in drinking water: chloroform, bromoform, bromodichloromethane, and chlorodibromomethane. In the Primary Standards Disinfection Byproducts section of the Water Quality Chart under Highest LRAA from Distribution System, the highest Locational Running Annual Average (LRAA) for 2013 is 50 µg/L, which is less than and complies with the Federal TTHM MCL of 80 µg/L. The range of monthly sample results from all 8 sampling points in 2013 is 3 to 82 µg/L, indicating that certain sampling points or specific locations within the customer service area have exceeded 80 µg/L. These samples were taken from dedicated sample points within the distribution system and are representative of maximum residence time in the system.

• Health effects of Total Trihalomethanes (TTHMs): Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience liver, kidney, or central nervous system problems and may have an increased risk of getting cancer.

Total Organic Carbon (TOC):

Total Organic Carbon (TOC) has no health effects. However, TOC provides a medium for the formation of disinfection byproducts. TOC result is based on quarterly RAA of percent removal ratio. Paired samples (one from source and the other from treated water) are collected monthly. The percent removal between source water and treated water is divided by the required monthly TOC percent removal based on certain criteria that all public water systems must follow. The quarterly RAA of these monthly results should be 1.0 or higher. Our quarterly RAA in 2013 ranged from 2.45 to 3.64 and averaged 2.94. Individual TOC sample results for treated water ranged from 0.3 to 1.2 mg/L and averaged 0.9 mg/L.

Arsenic:

In the Primary Standards Inorganic Chemicals section of the chart for Arsenic, the treated surface water sample was None Detected (ND). For groundwater samples (23 total), the range is None Detected (ND) to 2.0 μ g/L. The average for all groundwater sources based on 2013 analysis is less than the DLR of 2 μ g/L, MCL = 10 μ g/L.

• Health effects of Arsenic: While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The USEPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Barium:

In the Primary Standards Inorganic Chemicals section of the chart for Barium, treated surface water sample is ND. In the groundwater column, the range of barium is ND to 120 μ g/L and the average is ND, which is well under the MCL of 1000 μ g/L. Out of 23 wells tested, one well (Well 18) exceeded the DLR for barium.

• Health effects of Barium: Some people who drink water containing barium in excess of the MCL over many years may experience an increase in blood pressure.

Fluoride:

Fluoride in the treated surface water ranged from 0.10 to 0.19 mg/L and averaged 0.14 mg/L. The groundwater samples ranged from ND to 0.55 mg/L and averaged 0.18 mg/L. The fluoride MCL is 2 mg/L and the DLR is 0.1 mg/L.

• Health effects of Fluoride: Some people who drink water containing fluoride in excess of the federal MCL of 4 mg/L over many years may get bone disease, including pain and tenderness of the bones. Children who drink water containing fluoride in excess of the state MCL of 2 mg/L may get mottled teeth.

Nitrate:

In the Primary Standards Inorganic Chemicals section of the chart for Nitrate as (NO3), the treated surface water sample range is ND to 3.4 mg/L and the average is 2.6 mg/L. In the groundwater column, the range of Nitrate is ND to 28.2 mg/L, and the average is 8.4 mg/L. The California Department of Public Health requires annual sampling, if all results are less than 50% of the MCL. If the result from any one source is greater than 50% of the MCL, then sampling must be done quarterly at that source. The District samples all of its wells on a quarterly basis (4 times a year) even when they test below 50% of the MCL. The numbers expressed on the chart are derived from quarterly sampling of all District wells, except those that are out of service.

• Health effects of Nitrate: Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

Gross Alpha Particle Activity:

Well 11 was the only source sampled in 2013 for Gross Alpha with the result being None Detected (ND). The remaining water sources will be monitored in the future during this compliance cycle.

• Health effects of Gross Alpha Particle Activity: Certain minerals are radioactive and may emit a form of radiation known as alpha radiation. Some people who drink water containing alpha emitters in excess of the MCL over many years may have an increased risk of getting cancer.

Uranium:

Samples for Uranium are collected only when the quarterly average of Gross Alpha particle activity exceeds 5 pCi/L. Since the result of Well 11 monitoring was below this level, there were no samples collected for Uranium in 2013.

• **Health effects of Uranium:** Some people who drink water containing uranium in excess of the MCL over many years may have kidney problems or an increased risk of getting cancer.

Lead and Copper:

The tap samples for Lead and Copper were taken in the year 2012 (50 samples). The 90th percentile results of <5 ppb for lead and 0.370 ppm for copper are well within the AL of 15 ppb lead and the AL of 1.3 ppm for copper. The District is scheduled to draw new sample sets in 2015.

- If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Palmdale Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at http://www.epa.gov/safewater/lead.
- Health effects of Lead: Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and/or flush your tap for 30 seconds to 2 minutes before using tap water.
- Health effects of Copper: Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years may suffer liver or kidney damage. People with Wilson's disease should consult their personal doctor.

Where's the water! What can we do?

The Palmdale Water District is a State Water Contractor meaning we buy water supplied by the State Water Project (the California Aqueduct). The District is entitled to 21,300 acre-feet of water per year from the State Water Project (SWP); however, the amount of water allocated to the District by the California Department of Water Resources (DWR) varies from year to year based on rainfall or drought conditions.

In March, 2014, for the first time, the District and all other State Water Contractors in the state received the message they would receive **zero** water from the SWP. DWR reports, "Never before in the 54-year history of the State Water Project has DWR announced a zero allocation to all 29 public water agencies that buy water from the SWP." In April, a revision was made that agencies would receive 5% of their entitled amount, but water would not be available until September after the summer months.

Normally, the District receives approximately 50% of its total water supply from the SWP and 50% from pumping ground water from wells and additional surface water from Littlerock Reservoir. Fortunately, the District manages its water supply using various transfers and banked water supplies so we can supply our customers with water.

The District still needs its customers' help by not wasting water. When unpredicted drought years linger on and the rainfall in Southern California is unpredictable and less than the normal 4-7 inches per year, we are all in for a rocky water year.

Palmdale Water District customers have been conserving and doing their very best, so how can we ask for another 20% voluntary conservation as proposed by Governor Brown? Well, there are some things that can be done:

- 1) Renovating irrigation systems (most irrigation systems are about 50% efficient), repairing broken sprinkler heads and valves, adding more sprinkler heads for better distribution, or changing sprinkler heads into MP rotators;
- 2) Have a family meeting to change habits and be aware of the waste of water, taking shorter showers, and saving water for use in other areas;
- 3) Call the District's Conservation Department at 661-456-1001 for other helpful hints on how to conserve.

Remember to Use Water Wisely – It's a Way of Life.



PRSRT STD U.S. POSTAGE **PAID** PERMIT NO. 1 PALMDALE, CA

Palmdale Water District

2029 E. Avenue O Palmdale, CA 93550 661.947.4111

Board of Directors

Robert E. Alvarado

Division 1

Joe Estes

Division 2

Gloria Dizmang

Division 3

Kathy MacLaren

Division 4

Vincent Dino

Division 5

General Manager

Dennis LaMoreaux



Educational Information and Possible Drinking Water Contaminants:

Drinking water, including bottled water, may reasonably be expected Contaminants that may be present in source water include:: to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/ Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791). PWD tested for cryptosporidium monthly in 2007 and results were "none detected."

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

- ♦ Microbial Contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- ♦ Inorganic Contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- ♦ Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health (Department) make regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.