#### **RESOLUTION NO. 23-20**

## RESOLUTION OF THE BOARD OF DIRECTORS OF THE PALMDALE WATER DISTRICT REGARDING ITS INTENTION TO SEEK REIMBURSEMENT IN CONNECTION WITH THE ISSUANCE OF TAX-EXEMPT WATER REVENUE BONDS BY THE PALMDALE WATER DISTRICT PUBLIC FINANCING AUTHORITY

WHEREAS, the Board of Directors of the Palmdale Water District (the "Issuer") desires to finance the costs of acquiring certain public facilities and improvements, as provided in Exhibit A attached hereto and incorporated herein (the "Project");

WHEREAS, the Issuer intends to finance the acquisition of the Project or portions of the Project with the proceeds of the sale of obligations by the Palmdale Water District Public Financing Authority the interest upon which is excluded from gross income for federal income tax purposes (the "Obligations"); and

WHEREAS, prior to the issuance of the Obligations the Issuer desires to incur certain expenditures with respect to the Project from available monies of the Issuer which expenditures are desired to be reimbursed by the Issuer from a portion of the proceeds of the sale of the Obligations;

NOW, THEREFORE, THE BOARD OF DIRECTORS OF THE PALMDALE WATER DISTRICT DOES HEREBY RESOLVE, ORDER AND DETERMINE AS FOLLOWS:

SECTION 1. The Issuer hereby states its intention and reasonably expects to reimburse Project costs incurred prior to the issuance of the Obligations with proceeds of the Obligations. Exhibit A describes either the general character, type, purpose, and function of the Project, or the fund or account from which Project costs are to be paid and the general functional purpose of the fund or account.

SECTION 2. The reasonably expected maximum principal amount of the Obligations is \$22,000,000.00.

<u>SECTION 3.</u> This resolution is being adopted on or prior to the date (the "Expenditures Date or Dates") that the Issuer will expend monies for the portion of the Project costs to be reimbursed from proceeds of the Obligations.

SECTION 4. Except as described below, the expected date of issue of the Obligations will be within eighteen months of the later of the Expenditure Date or Dates and the date the Project is placed in service; provided, the reimbursement may not be made more than three years after the original expenditure is paid. For Obligations subject to the small issuer exception of Section 148(f)(4)(D) of the Internal Revenue Code, the "eighteen-month limit" of the previous sentence is changed to "three years" and the limitation of the previous sentence beginning with "; provided, . . ." is not applicable.

SECTION 5. Proceeds of the Obligations to be used to reimburse for Project costs are not expected to be used, within one year of reimbursement, directly or indirectly to pay debt service with respect to any obligation (other than to pay current debt service coming due within the next succeeding one year period on any tax-exempt obligation of the Issuer (other than the Obligations)) or to be held as a reasonably required reserve or replacement fund with respect to an obligation of the Issuer or any entity related in any manner to the Issuer, or to reimburse any expenditure that was originally paid with the proceeds of any obligation, or to replace funds that are or will be used in such manner.

<u>SECTION 6.</u> This resolution is consistent with the budgetary and financial circumstances of the Issuer, as of the date hereof. No monies from sources other than the Obligation issue are, or are reasonably expected to be reserved, allocated on a long-term basis, or otherwise set aside by the Issuer (or any related party) pursuant to their budget or financial policies with respect to the Project costs. To the best of our knowledge, this Board of Directors is not aware of the previous adoption of official intents by the Issuer that have been made as a matter of course for the purpose of reimbursing expenditures and for which tax-exempt obligations have not been issued.

SECTION 7. The limitations described in Section 3 and Section 4 do not apply to (a) costs of issuance of the Obligations, (b) an amount not in excess of the lesser of \$100,000 or five percent (5%) of the proceeds of the Obligations, or (c) any preliminary expenditures, such as architectural, engineering, surveying, soil testing, and similar costs other than land acquisition, site preparation, and similar costs incident to commencement of construction, not in excess of twenty percent (20%) of the aggregate issue price of the Obligations that finances the Project for which the preliminary expenditures were incurred.

SECTION 8. This resolution is adopted as official action of the Issuer in order to comply with Treasury Regulation § 1.150-2 and any other regulations of the Internal Revenue Service relating to the qualification for reimbursement of Issuer expenditures incurred prior to the date of issue of the Obligations, is part of the Issuer's official proceedings, and will be available for inspection by the general public at the main administrative office of the Issuer.

<u>SECTION 9.</u> All the recitals in this Resolution are true and correct and this Board of Directors so finds, determines, and represents.

PASSED AND ADOPTED by the Board of Directors of the Palmdale Water District, California, this 13<sup>th</sup> day of November, 2023, by the following vote:

AYES: President Wilson, Directors Kellerman, Dizmang, Mac Laren-Gomez, Dino NAYS: ABSENT: ABSTAIN:

Don Wilson, President

ATTEST:

MMM

Vincent Dino, Secretary

APPROVED AS TO FORM:

PAMK. LEE

Aleshire & Wynder, LLP, General Counsel

# EXHIBIT A

# DESCRIPTION OF PROJECT

#### EXHIBIT A

### DESCRIPTION OF PROJECT

#### Primary

- 1. Pure Water AV Demonstration Facility
- 2. Property Purchase for Future Well Site
- 3. Sedimentation Basin

#### Secondary

- 4. Pipeline with Velocity Deficiency (516 feet of 20" diameter pipe 2950 Zone)
- 5. Pipeline with Velocity Deficiency (231 feet of 24" diameter pipe 2950 Zone)
- 6. 6,000 feet of 16" diameter pipe in Fort Tejon Road
- 7. 1,400 feet of 8" diameter pipe in Camares Drive between Sierra Ancha Drive and Avenue S14
- 8. 3,000 feet of 8" diameter pipe in Pearblossom Highway
- 9. 5M Reservoir Rehabilitation
- 10. 25th Street Tank 1 Rehabilitation
- 11. 45th Street Tank 2 Rehabilitation
- 12. Booster Pump at 47th Street
- 13. Lake Outlet Structure Rehabilitation
- 14. WTP Filter Valve Replacements